The Gazette



# of India

# PUBLISHED BY AUTHORITY

6]

MEW DELHI, SATURDAY, FEBRUARY 5, 1949

#### NOTICE

The undermentioned Gazettes of India Extraordinary were published during the week ending the 2nd February 1949:-

No.	No. and Date	Issued by	Subject
1	No. I(20), dated the 18th January 1949.	Ministry of Relief and Rehabilitation .	Possession of and control over certain properties of evacuces in the Province of Delhi.
2	Ordinance No. V of 1949, dated the 31st January 1949.	Ministry of Law	Recovery of Abducted Persons Ordinance, 1949.
8	No. 91-CW(7)/48, dated the 2nd February 1949.	Ministry of Commerce	Amendment in the Open General Licence No. 3.

Copies of the Gazettes Extraordinary mentioned above will be supplied on indent to the Manager of Publications, Civil Lines. De hi. Indents should be submitted so as to reach the Manager within ten days of the date of issue of this Gazette.

#### CONTENTS

	CONTE	INTS	
	PAGES		PAGES
PART I—Smorion 2.—Notifications regarding Appointments, Promotions, etc., of Government officers issued by Ministries of the Government of India	51—160	PART V.—Bills introduced in the Constituent Assembly of India (Legislative), Reports of Select Committees presented to the Constituent Assembly of India (Legislative) and Bills published under Rule 39 of the Constituent Assembly (Legislative) Rules of Precedure and Conduct of Business:  Constituent Assembly of India (Legislative)—	
PART I—SECTION 3.—Notifications relating to Ryles, Regulations and Orders and Resolutions	61—168 69—170	Bill No. 3 of 1949.—The Indian Emigration (Amendment) Act, 1949  Bill No. 4 of 1949.—The Seaward Artillery Practice Act, 1949	13—14 14—17
PART SECTION 4.—Notifications regarding Appoint- hts, Promotions, Leave, etc., of officers issued by the Ministry of Defence PART II—SECTION 1.—Notifications and Notices issued by the Patent Office relating to Patents	7]—177	Bill No. 5. 1949—The Mangrol and Manavadar (Administration of Property) Act, 1949. Bill No 6. 1949—The United Provinces Provincial Armed Constabulary	17—30
	03—108	of (Extension Laws) Act, 1940 . Bill No. 7. 1949—The Protective Duties (Amendment) Act, 1949 . Supplement No. 6—	30 31
offices of the Government of India (Published at Simla)  [PART II—SECTION 3.—Miscellaneous Notifications, i.e., those not included in Sections 1 and 2 of Part II (Published at Simla)  1 PART IIA.—Notifications relating to Minor Administrations (Published at Simla)  1 PART III.—Advertisements and Notices by Private Individuals and Corporations (Published at Simla)	09—118 19—120 39—48	Statistics of reported attacks and deaths from cholers, small-pox, plague and other infectious diseases in districts and towns in India and some of the Indian States during the week ending the 25th December 1948.  Statements showing births and deaths from principal diseases in towns with a population of over 30,000 in the provinces of India and some of the Indian States for the week ending the	8790 91 96
Simla)	19-22	25th December 1948	<i>0</i> 1— <i>0</i> 0

# PART I-Section 1

# Government of India Notifications relating to Rules, Regulations and Orders, and Resolutions (other than the Ministry of Defence)

# CONSTITUENT ASSEMBLY OF INDIA

New Delhi, the 26th January 1949

No. 0A/8/Ser./49.—A vacancy having occurred in the stituent Assembly of India by reason of the resignation of the Hon'ble Shri B. Gopala Reddi, a member elected the said Assembly by the General part of the Madras

Legislative Assembly, the President of the Constituent Assembly is pleased, in pursuance of the provisions of sub-rule (1) of rule 5 of the Constituent Assembly Rules, to call upon the above constituency to elect, in accordance with the said Rules, a person for the purpose of filling the said vacancy.

S. N. MUKERJEE, Joint Secy.

# MINISTRY OF EXTERNAL AFFAIRS AND COMMONWEALTH RELATIONS

New Delhi, the 26th January 1949

No. 26-Pt./49.—On the 22nd January 1949. His Excellency the Governor General received Mr. Mussa Noury Esfandiari, who presented the letters of Recall of his predecessor, Monsieur Ali Motamedy, and his own Letters of Credence as Ambassador Extraordinary and Plenipotentiary of Iran to India.

New Delhi, the 27th January 1949

No. 30-Pt.—On the 27th January 1949. His Excellency the Governor General received His Excellency Dr. Vasco Vieira Gurin, who presented his Letters of Credence as Envoy Extraordinary and Minister Plenipotentiary of Portugal to India.

T. J. NATARAJAN, Under Secy.

New Delhi, the 5th February 1949

No. 32-Pt.—The Governor General is pleased to recognise provisionally the appointment of Mr. J. Graham Parsons as Consul for the United States of America at New Delhi.

O. V. RAMADORAI, Under Secy.

# MINISTRY OF STATES

New Delhi, the 2nd February 1949

No. 32-IB.—Whereas the Central Government has full and exclusive authority, jurisdiction and powers for, and in relation to, the governance of the Bilaspur State;

Now, therefore, in exercise of the powers conferred by section 4 of the Extra-Provincial Jurisdiction Act, 1947 (XLVII of 1947), and of all other powers enabling it in that behalf, the Central Government is pleased to direct that the Central Excises and Salt Act, 1944 (I of 1944), as amended from time to time shall apply to the Bilaspur State subject to the modification that sub-secious (2) and (3) of section 1 of the said Act shall be omitted.

2. The said Act supersedes any corresponding enactment (by whatever name called) at present in force in the Bilaspur State.

Provided that-

- (i) all proceedings taken under any of the enactments which were in force in Bilaspur State and pending at the commencement of this Order shall be continued as if they had been taken under the corresponding provisions of the Central Excises and Salt Act, 1944;
- (ii) all appointments, delegations, notifications, orders, bye-laws, rules and regulations made or issued under or in pursuance of any of the said emetments are hereby confirmed and shall have effect as if made or issued under this Order.

HARI SHARMA, Dy. Secy.

# MINISTRY OF FINANCE (REVENUE DIVISION)

INCOME-TAX

New Delhi, the 29th January 1949

No. 10.—A further list of institutions and funds approved by the Central Government for the purposes of sub-section (1) of section 15B of the Indian Income-tax Act, 1922 (XI of 1922), is published for general information.

#### LIST

# "Bombay

- 241. Karmakshetra Educational Foundation, Ahmedabad.
- 242. Dr. Balabhai Nanavati Hospital, Bombay.
- 243. Peoples' Education Society, Maharashtra High School, Bombay.

#### Delhi

- 244. Rama Krishna Mission's Charitable Dispensary, Delhi.
- 245. Rama Krishna Mission's reading room and library, Delhis''

S. P. LAHIRI, Under Secy

#### STAMPS

New Delhi, the 29th January 1949

No. 1.—In exercise of the powers conferred by clause (a) of section 9 of the Indian Stamp Act, 1899 (II of 1899), the Central Government is pleased to remit from the 1st June 1948, the whole of the stamp duty on the following instruments executed in connection with the business of the Rehabilitation Finance Administration constituted under the Rehabilitation finance Administration Act, 1948 (XII of 1948), namely:—

#### Items

Scope

(1) Bills of exchange, cheques.

promissory notes, bills of
lading, letters of credit,
policies of insurance,
proxies and receipts.

In all the provinces including the Chief (ommissioners' Provinces.

(2) Instruments other than those specified in item (1).

In the Chief Commissioners, Provinces.

. W. SALDANHA, Under Secy.

# CENTRAL BOARD OF REVENUE

EXCESS PROFITS TAX

New Delhi, the 29th January 1949

No. 9.—Under sub-section (3) of section 3 of the Excess Profits Tax Act, 1940 (XV of 1940), and in partial modification of its Notification No. 6-E.P.T., dated the 8th March 1947, the Central Board of Revenue directs that the Appellate Assistant Commissioner of Excess Profits Tax, Kaupur shall also and the Additional Appellate Assistant Commissioner of Excess Profits Tax, Kaupur shall not, perform hus functions in respect of appeal No. 6/7 filed by the Plywood Products, Sitapur, against its assessment for the chargeable accounting period ending on the 30th June 1944.

S. P. LAHIRI, Under Secy.

# MINISTRY OF INDUSTRY AND SUPPLY

New Delhi, the 28th January 1949

No. I(I)-I(146).—The following Notification issued by the Iron and Steel Controller under clause 11B of the Iron and Steel (Control of Production and Distribution) Order, 1941, is published for general information.—

"In exercise of the powers conferred by sub-clause (i) of clause 11B of the Iron and Steel (Control of Production and Distribution) Order, 1941, the Iron and Steel Controller is pleased to direct that the following amendments shall be made in the Freight (Place Extras) List No. 1 of 1948 ped under Notification No. 1(1)-1(146), dated the 4th January 1948, published in the Gazette of India Extraordinary, dated the 28th January 1948 as amended from time to time, namely:—

For the "Place Extra" "Rs. 48/4/-" appearing against destinations "Agra" and "Belanganj (Agra)", the "Place Extra" "Rs. 59/12/-", shall be substituted.

The above amendment will have effect from 25th October 1948

M. K. Powvala, Iron and Steel Controller."

N. R. REDDY, Under Secy.

New Delhi, the 29th January 1949

No. 9(4)-Tex.1/49.—In exercise of the powers conferred by section 3 of the Essential Supplies (Temporary Powers) Act, 1946 (XXIV of 1946), the Central Government is pleased to direct that the following further amendment shall be made in the Cotton Textiles (Control) Order, 1948, namely:—

In the said Order in item (a) of sub-clause (2) of clause 22 after the words "any type of cloth" the words "or yarn" shall be inserted.

M. P. PAI, Joint Secy.

Col, III

Col. II

Col. I

#### New Delhi, the 29th January 1949

No. I(I)-I(779).—In exercise of the powers conferred by sub-plause (b) of clause 2 of the Iron and Steel (Scrap Control) Order, 1943, the Central Government is pleased to direct that the following amendment shall be made in the notification of the Government of India in the Ministry of Industry and Supply, No. I(1) 1(799), dated the 8th November 1948, namely:—

In item 8 of the Schedule annexed to the said notification, for the words "Deputy Director of Consumer Goods, Government of Assam, Shillong", the words "Director of Consumer Goods, Assam, Shillong" shall be substituted.

# New Delhi, the 5th February 1949

No. I(I)-I(196).—With the approval of the Central Government, the Iron and Steel Controller has fixed the following Schedule of maximum prices for iron and steel scrap under sub-clause (1) of clause 8 of the Iron and Steel (Scrap Control) Order, 1943, in supersession of the Government of India Notification No. SEC.P/11, dated the 22nd July 1946, published in the Gazette of India on the 27th July 1946 as amended by Notification No. SEC.-P/13, dated 25th January 1947, published in the Gazette of India on 1st February 1947.

# GENERAL CONDITIONS

- 1. This Schedule may be called the Iron and Steel Scrap Price Schedule No. 1 of 1949.
- 2. In respect of all sales the prices and other provisions of this Schedule relevant thereto shall come into torce with immediate effect and notwithstanding the rates at which the order has been booked shall apply to all deliveries effected on or after the date of this Notification.
- 8. These prices are for each sales. The question of credit facilities is a matter for negotiation between the buyer and the seller.
- 4. Octroi, Sales or other taxes incurred in the process of delivery from the seller to the buyer will be borne by the latter.
- 5. The prices in this Schedule are maximum prices and materials may be sold at lower rates by mutual agreement between the buyer and the seller.
- 6. Where no appropriate price has been notified for any item of scrap, the Controller may classify such item or items and, in accordance with clause 8(2) of the Order, fix such price as he considers appropriate.
- 7. Part I of this new Scrap Price Schedule gives ceiling prices in Column I for sales by controlled sources other than Controlled Scrap Merchants, in Column II for sales ex-Controlled Scrap Merchants' Yards, and in Column III for sales by all other persons.

### SCHEDULE

PART I.—Defectives, Non-Standard, Rejects, Cuttings and

		Maximum basic prices per ton at Calcutta, Madras and Bombay				
_		Col. I	Col. II	Col. III		
Itom No.	Description or classification of materials	For sales by controlled sources other then those mentioned in Col. II	For sales by scrap morehants who have been declared d controlled sources	For sales by all persons other than those mentioned in Cols.		
-		Rs.	Rs.	Rs.		
1	Axles (Railway Engine, Carriago and Wagon Axles).	190	217	237		
2	Bars and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide), Defective, Rejected and Non-standard. Above 9' long for bars and above 8' long for Rods.	250	277	297		

		Col. I	Col. II	Col, III
Item No.	Description or classification of materials	For sales	For saloa by	For sales by all
		controlled sources other than those mentioned	merchanta who have been declared w controlled	persons other then those contioned in Cols. I & II
		Col. II	sources	1 00 11
			· · · ·	
		Rs.	Rs.	Rs.
3	Barl and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide) cutting 2'/9' (for Bars) and 2'/8' (for Rods).	240	267	287
4	Bars and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide) cuttings under 2' down to 1' long.	200	227	247
5	Bars and Rods (Rounds and Squares below 3" and Flats up to and including 5" wide) cuttings under 1' long.	150	177	197
6	Bars Octagonal (H. C.), Defoctives and Cuttings over 2'.	315	342	377
7	Bars Octagonal (H. C.), Defectives and Cuttings 1' to 2'.	265	292	327
8	Bars, Spring Steel, Defectives and Cuttings over 2' lengths.	390	417	452
9	Bars, Spring Steel, Cuttings 1' to 2' lengths.	240	267	302
10	Bars, Spring Steel, Cuttings under 1' long.	190	217	252
11	Dog Spikes—used—second hand.	155	182	202
12	Draw Bars (Railway Engine and Carriage) with or with- out hooks.	160	187	207
13	Foncing Postspunched second hand (used) complete or broken 2' long and over.	100	127.	147
14	Fishplates — Defective (for heavy or light rails).	170	197	217
15	Hoops and thin Flats, defectives and second hand over 10' basis.	250	277	297
	$3/4$ " $\times$ 20 gauge, below 19' in lengths, nominal.	470	497	547
	$3/4'' \times 18/19$ gauge, below 19' in lengths, nominal.	435	462	512
16	Hoops or Thin Flat cuttings 2'-10". All widths and gauges (not exceeding 1/8" thick).	250	277 .	. 297
17	Hoop or thin flat cuttings below 2' and defective or second hand below 10'.	140	167	187
18	Nails, Wire, Rejected, Defective and/or rusty, mixed gauges and/or sizes.	490	517	507
19	Plates, Defective, Rejected and Non-Standard 3/8" and up thick.	230	257	277
20	Plate cuttings (ends) and/or Strips straight sheared (5/16" and thicker and in widths above 10").	220	247	267

to 10" wide.

Plate cuttings 5/16" and thicker and in widths up

210

237

25

Item	Description or	Col. I	Col. II	Col, III	Item	Description or	Col. I	Col. II	Col. III
No.	classification of materials	For sales by controlled sources other than those mentioned in Col. II	For sales by forap merchants who have been declared r controlled sources		No.			Merchants who have been declared	
		Rs.	Rs.	Rs.			Rs.	Rs.	Rs.
22	Plates defective, rejected and non-standard 1/8" thick.	253	280	300	39	Sheet cuttings, Black Fishtails and Clean cut mixed	230	257	282
23	Plate cuttings (ends) and/or Strips straight sheared, J/8" thick above 10" wide.	245	2 <b>72</b>	292	40	6"/24" wide, 13/18 gauge.  Sheet cuttings, Black Fishtails and Clean cut mixed		272	297
24	Plate Scrap or cuttings 1/8" thick upto 10" wide.	235	262	282	41	6"/24" wide, 19/22 gauge. Sheet cuttings, Black Fish-		262	287
25	Plates—Chequered 1/4" and up.	250	277	297		tails and Clean cut mixed 6"/18" wide, 26 gauge.			
26	Plate (punchings—for making Nut', etc.).	110	137	157	42	Sheet cuttings, Black Fishtails and Clean cut mixed $6''/24''$ wide, 28 gauge.		287	<b>阻</b> .4
27	Plates, Steam or—punched, all sizes.	190	217	237	43	Sheet cuttings, Black Fishtails and Clean cut mixed		307	332
28	Plates shearings (resulting from fabrication work) 5'-6" and longer mixed widths and thicknesses.	170	197	217	44	6"/24" wide, 30 gauge.  Sheets—Black cuttings annealed, Clean cut pieces 6" to under 18" wide.		277	302
<b>*2</b> 9	P. C. R. C. A. Strips—gauge 28 and thicker:				45	Sheet Black cuttings 6" and up wide. All Fishtails,		222	247
	(a) over 6"	275	, 302	332		mixed gauges 10 to 26 gauge.			
	(b) 3" to 6" wide	210	237	267	46	Sheets—Black cuttings 2"	150	177	202
	(c) under 3"	160	187	217		to under 6", 11/14 gauge.			
<b>*3</b> 0	(a) P. C. R. C. A. Wasters— mixed gauges.	315	342	372	*47	Sheets—Black Cuttings:—  (a) Thin Straight Sheared	250	277	302
	(b) Black Plate rejects— mixed gauges.	315	342	372		hand bundled mixed gauges 20/34, 4" wide and over.	,	211	502
	Points and Crossings—steel  Rails (oxclduding second class Rails to Specification	160	187	207		(b) Thick hand bundled mixed gauges 29/34, 2" wide and over.		157	182
	T. II/28) :  (A) Defectives 12' and up :	•			48	Sheets, Galvanised Corruga- ted, Rejected, Defective and Spotted 24 gauge.	340	867	392
	(a) Light	265	292	312	40		825	352	377
	(b) Heavy Rails (excluding second class	240	267	287	49	Sheets, Galvanised Cuttings plain or Corrugated 16/24 gauge.		200	511
	rails to Specification T. 11/28):—  (B) Cuttings 2' to under 12'-	_			50	Sheets, Galvanised—used—damaged but re-utilisable corrugated or plain mixed or unmixed.	<b>,</b> `	237	262
	(a) Light	220	247	267	K 1	Sleepors, Steel Rejected	210	237	257
	(b) Heavy	195	222	242	91	unused.	210	207	20,
33	Rail cuttings—Steel under 2' (Light or Heavy).	140	167	187	52	Sleepers, Steel—Second hand (Used).	160	187	207
34	Rails—Wrought Iron—Used	140	167	187	53	Sleeper Bars :			
35	Roll Spoils—All thicknesses	190	217	237		(a) Rejected 9' and above.	190	217	237
36	and lengths.  Semis—Defective (Ingots,	200	227	247		(b) Cuttings 2' to below 9'.	170	97	217
ψÜ	Billets, Blooms, Slabs, etc., and cuttings thereof).	200	- A 4 1	·		(c) Cuttings below 2'.	125	152	172
37	Sheets, Black non-standard, Defectives, Rejects and	265	292	317	54	Spring Steel (Scrap) for making swords, etc.	r 215	<b>24</b> 2	277
38	Cuttings over 18" wide, 11/14 gauge.  Sheet cuttings, Black Fishtails and clean cut mixed 6"/18" wide mostly 24 gauge.	230	257	282	55	Structurals including Bara (Rounds and Squares 3" and above and Flats above 5 wide), defective, rejected and non-standard over 9 long.	l '	267	287

				Col. I	Col. II	Col. III
Item No.		Description or classification of materials		For sales by controlled sources other than those mentioned in Col. II	For sales by Scrap Merchants who have been dcolared Controlled sources	For Sales by all persons other than those mentioned in Cols, I and II
				Rs.	Rs,	Re.
56	includ (Rour	ids and Squa bove, and Flat	f Bars res 3"	225	252	272
57	long Bars 3″ a	ural cuttings including cut (Rounds and nd above and o 5" wide).	tings of	150	177	197
*58-	$\mathbf{thick}$	olato Strips—G er :— Over 6" wide	, 28 and	<b>3</b> 00	327	857
	• •	3" to 6" wide		235		
	. ,	Under 3".	. ,	188		$\begin{array}{c} 292 \\ 242 \end{array}$
59	, -	ars—Punched-			_	157
UB	hand	(Used) Full oken 1' long or	length		131	107
*60	Tinpla thick	te Strips 28 ge er. In lots wh	uge and ere :—			
			Iaximum vidth is	ı		
	(a)	6"		355	382	412
	(b)	3″	6"	295	322	352
	(c)	2"	3″	345	372	402
	(d)	1"	2"	330	857	387
	(e)	1/2"	1″	812	342	372
	(f)	1/2"	• •	285	312	342
61	5/8",	Crop Ends $1/2''$ and $3/8''$ twide.	approx. hick, 2"	170	197	217
62		—Scrap (with st sell ring fast		190	217	237
63	Tyres ( earrie holes.			190	217	237
64	Wire longtl basis	Defective and $_{ m hs}$ specific $_{ m 2.3~S,~W,~G,~:}$	gauges,			
	(a)	Hard Bright	- •	410	437	472
	(b)	Annealed		450	477	512
	(c)	Galvanised (in Telegraph).	eluding	500	527	562
	(d)	Barbed .		600	627	662
65	Wire—	-Scrap and cut d unsorted gaug	tings in es:—			
	(a)	Hard—Bright		410	437	472
	(b)	Annealed ,		450	477	512
	(c)	Galvanised		500	527	562
+G	auge ex	tras applicable	to item	s 29, 30, 4	7, 58 and 60	(Tinplate

Co.'s Specifications) for lots :-

 $I_{tern}$ Description of classification No. of materials

For sales For sa. by controlled  $\mathbf{b}\mathbf{y}$ Scrap persons sources Merchants other other than who have  $_{
m than}$ those been declared those mentioned mentioned Controlled in Cols I and II in sources Col. II

Col.

66	Wire—Scrap Twisted bent and rusty, mixed or un- mixed gauges:—	Rs.	Rs.	Rs.
	(a) Unannealed	285	312	347
	(b) Annealed	310	337	372
	(c) Galvanised	345	372	407
	(d) Barbed	410	437	472
67	Mild Steel Commercial quality melting scrap excluding borings and turnings and special quality low phos- phorus melting scrap.	40	40	40
68	Fresh Borings and Turnings	persons an	ton ex-site d sources sources an subject	from all including
				_
69	Special quality Low Phosphorus Steel melting scrap with phosphorus content below .035 per cent.	75	75	75
<b>69</b> 70	phorus Steel melting acrap with phosphorus content below 035 per cent.	75 60	75 60	7 <i>5</i>
	phorus Steel melting scrap with phosphorus content below 035 per cent.  Special quality Low Phosphorus Steel melting scrap with Phosphorus content 035 per cent. to under 045			
70	phorus Steel melting scrap with phosphorus content below 035 per cent.  Special quality Low Phosphorus Steel melting scrap with Phosphorus content 035 per cent. to under 045 per cent.			

Special Directions to Part I

(a) The stations included under f.o.r. Calcutta, Bombay and Madras are shown in the Freight (Place Extras) List No. I of 1948.

The basis prices are subject to extras for place and extras for section size, thickness or gauge. Except where "used" or "Second-hand" or "Scrap" has been specifically mentioned, the maximum prices fixed apply to fresh materials in the condition usually supplied by Producers.

- (b) To arrive at the prices for places other than Calcutta, Bombay and Madras, the place extras for iron and steel fixed by the Iron and Steel Controller from time to time under Clause II B of the Iron and Steel (Control of Production and Distribution) Order, 1941, should be added to the base price. For places for which no extra has been so fixed, railway freight per ton at public Teriff rates for full wagonloads from the nearest of the above three Ports to the place in question should be added. In any dispute regarding the place extras, the decision of the Controller shall be final. (These freights are given in the Freight (Place Extra) List No. I of 1948.
- (c) Extras for section, size, thickness or gauge.—Where a lot consists of one section of structural, one size of bar or rod, one thickness of plate or one gauge of sheet or wire and no special provision has been made in the Schedule for such a lot, the basis price is subject to the standard extra for that section, size, thickness or gauge, notified by the Iron and Steel Controller from time to time under Clause II B of the Iron and Steel (Control of Production and Distribution) Order, 1941.

Where a lot consists of a mixture of sections, sizes, thicknesses or gauge, the price will be calculated on the lowest priced section, size, thickness or gauge.

<sup>(1)</sup> Thinner than 28 gauge

Rs. 25 per ton. Rs. 30 per ton. Rs. 35 per ton. (2) 29 to 30 gauge (3) 31 to 32 gauge

<sup>(4) 33</sup> to 34 gauge Rs. 45 per ton.

Sales by Producers.—(i) Where by rail in full wagonloads by proiall be f.o.r. destination, i.e., the base i Column I plus the appropriate place extra not the destination.

- (ii) Where wagons are not fully loaded, the customer shall pay the f.o.r. destination rate plus the difference between the actual freight per ton and the amount of freight per ton which would have been incurred if the wagons had been fully loaded.
- (iii) If where a producer sells a lot f.o.r. destination, the materials are sent at the customer's request by a route or means of transport other than the cheapest, the extra freight charges shall be borne by the customer.
- (e) Other Sales.—Except when a sale is made f.o.r. destination by a producer, the basis price shown in Columns I, II or III shall apply f.o.r. seller's siding or nearest despatching station for rail delivery in 'smalls' or ex-site for road delivery. For these sales, the basis price shown in Columns I, II or III according to the classification of the seller, is subject to the appropriate extra for the place from which the steel is sold.
- (f) Packing and Bundling Charges.—Where light sections, bars or rods are bundled, a bundling charge not exceeding Rs. 5 per ton may be recovered from the buyer. Bundling and packing charges are included in the prices for wire, wire nails, tin, terne and P.C.R.C.A. Strips.
- (g) Delivery Charges.—Ex-Controlled Scrap Merchants' Yards are not admissible if delivery is made ex-yard or f.o.r. siding or nearest station or into Workshop adjoining the Stockyard.

PART II.—Scrap for Re-rolling

Item No.	Description of materials or lot	Maximum prices per ton at Calcutta, Bombay and Madras
1	Defective Semis including Sheet and Tin Bars and any other items accepted by Registered Producers as Semis for Re-rolling purposes.	Rs. 200
2	Fresh Re-rollable scrap from all sources including fresh steel rail cuttings and other scrap recovered from the process of fabricating new steel, but excluding roll-spoils.	170
3	Used Railway straight Axles	170
4	Used Steel Rails of all descriptions in re- rollable lengths including points and crossings.	140
5	Steel long draw Bars (with or without Hooks).	140
6	Fresh Roll-Spoils 3/4" and thicker which are suitable for or which the Controller considers should be used for re-rolling, lengths 5'-6" and up.	170
7	All other re-rollable scrap from any source including such scrap recovered from old fabrication, etc. which the Controller considers suitable or fit for re-rolling.	130

# Special Directoions to Part II

- (a) These prices apply to scales by all persons including scrap Merchants.
- (b) To arrive at the prices for places other than Calcutta, Bombay and Madras, the pace extras fixed for Iron and Steel are to be added in the manner indicated in Paras. (b), (d) and (e) under Special Directions to Part I.
- (c) The prices are not subject to any extras for section, size, thickness and gauge.

M. K. POWVALA, Iron and Steel Controller.

C. R. NATESAN, Dy. Secy.

# MINISTRY OF AGRICULTURE

New Delhi, the 29th January 1949

No. F.23-57/48-L.—The designation of the Experimental Cattle Breeding Farm, Jubbalpore has been changed to Cattle Breeding Research Station with effect from the 21st December 1948.

V. S. KRISHNASWAMI, Dy. Secy.

# New Delhi, the 31st January 1949

- No. F. 46-47/46-Com.—In pursuance of the powers conferred under Rule I of the Rules and Regulations of the Indian Central Tobacco Committee, the Central Government are pleased to nominate the following persons representing the various Tobacco Trade interests as members of the Committee:—
  - 1. Chaudhuri Fateh Singh, representing Hookah Tobacco Trade vice Mr. K. C. Guha retired.
  - 2. Shri H. K. Barua, 44-Dharamtalla St t, Calcutta, representing Cheroot Tobacco Trade be Shri Aka Anjaneyulu retired.
  - Shri P. Mruthyanjaya Rao of M/s. Maddi Venkata Subbiah Firm, Guntur, representing Cigar Tobacco Trade vice Shri A. Ramaswami Tevear retired.
  - 4. Mr. Manzoor Ahsan Ajazi of Tinkothia in the District of Muzaffarpur, representing Bidi Tobacco Trade vice Khan Bahadur Khair Mohd. Sahib Faiz Mohd. Khan Pathan, Nipani, retired.
  - Mr. Devehand Chhagan Lal Shah of Nipani, District Belgaum, representing Chewing Tobacco Trade vice Chandra Sekhar Prasad retired.
  - Sri Ramchandra Prasad of village Alinagar, P. O. Sakara, District Muzaffarpur, representing Cigarette Tobacco Trade vice Rao Sahib T. S. Pallaniappa Pillai retired.

S. M. SRIVASTAVA, Dy. Secy.

# New Delhi, the 31st January 1949

No. F. 5-3/49-Co.—The following dratt of certain les which it is proposed to make in exercise of the powers conterred by section 8 of the Agricultural Produce (Grading and Marking) Act, 1987 (I of 1987), and in supersession of the Oranges Grading and Marking Rules, 1987, is published as required by the said section for the information of all persons likely to be affected thereby, and notice is hereby given that the draft will be taken into consideration on or after the 1st March 1949. Any objection or suggestion, which may be received from any person in respect of the said draft before the date specified will be considered by the Central Government.

### Draft Rules

# CITRUS FRUITS GRADING AND MARKING RULES

- 1. Short title and application.—(1) These rules may be called the Citrus Fruits Grading and Marking Rules, 1949.
  - (2) They shall apply to citrus fruits produced in India.
- 2. Grade designations.—Grade designations to indicate the quality of certain varieties, of citrus fruits produced in India are set out in column 1 of Schedules II to VII.
- 8. Definition of quality.—The quality indicated by such grade designations is set out against such designations in columns 2 and 3 of Schedules II to VII.

4. Grade designation marks.—The grade designation mark shall consist of a label bearing the design set out in Schedule I, specifying the grade designation and will be of the following colour:—

Grade designation.	Colour of label.
Extra Special	White.
Special	$\operatorname{\mathbf{Red}}$ .
Good	Black.
A	Bluo.
$\hat{\mathbf{B}}$	$\mathbf{Y}$ ello $\mathbf{w}$ .
C	Green.
•	

- 5. Method of marking.—The grade designation mark label shall be securely affixed to each package of citrus fruits and shall clearly show the following particulars:—
  - (a) Variety.
  - (b) Number.

- (c) Net weight.
- (d) Name and address of p
- (e) Date of packing.
- 6. Method of packing.—(1) Containers returnable or non-returnable. They shall be suitable for the purpose. All packages shall be securely closed.
- (2) Packing material, if used, shall be clean and dry.
- (8) The citrus fruits in any container shall be of one variety, of one grade, reasonably uniform and the top layer shall be representative of the entire contents of the package in respect of size, colour, maturity, shape and freedom from defects.

# 



# SCHEDULE II-A

Grade designations and definition of quality of oranges (tight skinned) produced in India

See Rules 2 and 8)

<del></del>				Definition of quality
Grade designation		ion Minimum diameter		* State or condition.†
	1		2	3
			Inches	
Extra Special		•	31	(1) The oranges shall be firm and shall have reached a stage of
Special	•		3	maturity which will permit the subsequent completion of ripen-
Good	٠	•	24	ing in the ordinary course of transport and marketing without
<b>A</b>	•	-	21/2	appreciable loss of firmness.  (2) The oranges shall be of reasonably uniform colour. No orango shall be entirely green.
				(3) Each orange shall have the shape normal to the variety and

be free from malformations.

1	2	3
		<ul> <li>(4) The oranges shall be free from defects due to diseases or insects or mechanical injury or sun-burn affecting the fruit internally.</li> <li>(5) Oranges having a coarse corrugated skin shall not be graded.</li> </ul>

\*Fruits exceeding the diameter given against Extra Special by linch shall be excluded. A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of oranges corresponding with the size specification in the next lower grade.

†In respect of items referred to in column 3, a tolerance of 5 percent shall be allowed in any one package to cover accidental error in grading except the defects referred to in items (4) & (5) for which no tolerance shall be allowed.

#### Æ II-B

jinition of quality of oranges a) produced in India OSAMBI TYPE (See Rules 2 and 3)

have the shape normal to the variety and be free from malformations.

(4) The oranges shall be free from defects due to diseases or insects or mechani-

cal injury or sun-burn affecting the fruit internally.

(5) Oranges having a coarse corrugated (Godhadi) skin shall not be graded.

(6) Mosambis of the new crop (Nawa Bahar) shall not be mixed with old

		Dofinitio	tion of quality					
Grade designation		Minimum diameter*	State or condition†					
			3					
Extra	Spec	ial	Inches 3	(1) The oranges shall be firm and shall				
Specie	ıl		23	have reached a stage of muturity which				
$\mathbf{Good}$		٠	21	will permit the sub- sequent completion of ripening in the				
A	٠	•	3	ordinary course of transport and mark-				
В,			21	eting without appre-				
С,	٠	٠	2 ]	ciable loss of firmness.  (2) The oranges shall be of reasonably uniform colour. No oranges shall be entirely green.  (3) Each orange shall				
	Extre Specie Good A B	nation  I  Extra Special  Good  A  B  .	nation  I  Extra Special Special Good A B .	Grade dosignation         Minimum diameter*           1         2           Extra Special         3           Special         2½           Good         2½           A         3           B         2½				

crop (Juna Bahar). \*Fruits exceeding the diameter given against Extra Special by finch shall be excluded. A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of oranges corresponding with the size specification in the next lower grade.

†In respect of items referred to in column 3, a tolerance of 5 per cent shall be allowed in any one package to cover accidental error in grading except the defects referred to in items (4), (5) and (6) for which no tolerance shall be allowed.

# SCHEDULE II-C

Grade designations and definition of quality of oranges (tight skinned) produced in India SATHGUDI TYPE (See Rules 2 and 3)

					-	Definition of quality	
			Minir		State or condition†		
	1		_	2	Σ	3	
Extr. 8	pecial			Inche 3}	В	(1) The oranges shall be firm and shall have reached awstage of	
Special	•			31		maturity which will permit the subsequent completion of	
Good				3		ripening in the ordinary course of transport and marketing	
A	•		-	21		without appreciable loss of	
В		•	•	2 <sub>1</sub>	• 93 <b>**</b>	<ul> <li>(2) The oranges shall be of reasonably uniform colour. No orange shall be entirely green.</li> <li>(3) Each orange shall have the shape normal to the variety and be free from malformations.</li> <li>(4) The oranges shall be free from defects due to diseases or insects or mechanical injury or sunburn affecting the fruit internally.</li> <li>(5) Oranges having a coarse corrugated skin shall not be graded.</li> </ul>	

\*Fruits exceeding the diameter given against the Extra Special by 1 inch shall be excluded. A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of oranges corresponding with the size specification in the next lower grade.

†In respect of items referred to in column 3, a tolerance of 5 per cent shall be allowed in any one package to cover accidental error in grading except the defects referred to in items (4) and (5) for which no tolerance shall be allowed.

# SCHEDULE III-A

Grade designations and definition of quality of Mandarins (Sangtras or Santras) produced in India

# POLA VARIETY

(See Rules 2 and 3)

					Definition of quality		
Grade designation			ı	Minimum diameter*	State or condition†		
				2			
			<u>-</u>	Inches			
Extra Special				31	(1) The oranges shall have reached		
Special				3	a stage of maturity which will permit the subsequent comple		
Good				23	tion of ripening in the ordinary course of transport and marketing.		
A	•	ė	-	21	(2) The oranges shall be of reasonably uniform colour. No orange shall be entirely green.		
					<ul> <li>(3) Each orange shall have the shape normal to the variety and be free from malformations.</li> <li>(4) The oranges shall be free from defects due to diseases or insects or machanical injury or sunburn affecting the fruit internally.</li> </ul>		

0 per cent shall be allowed for accidental errors in

The tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of mandarins corresponding with the size specification in the next lower grade.

†In respect of items referred to in column 3 a tolerance of 5 per cent shall be allowed in any one package to cover accidental error in grading except the defects referred to in item (4), for which no toler, ance shall be allowed

# SCHEDULE III-B

Grade designations and definition of quality of Mandarins

(Sangtras or Santras) produced in India

#### BATTIDAR VARIETY

(See Rules 2 and 3)

					Definition of quality		
Grade designation				numiniM *retemble			
				Inches			
Extra Special				3	(1) The organges shall have reached a stage of maturity which will		
Special	Special			24	permit the subsequent comp- letion of ripening in the		
Good	•	•	•	21	ordinary course of transport and marketing.		
A	•	1		21	(2) The oranges shall be of reasonably uniform colour No. orange shall be entirely green.		
					(3) Each orange shall have the shape normal to the variety and be free from malformations.		
					(4) The oranges shall be free from defects due to diseases or insects or mechanical injury or sunburn affecting the fruit internally.		

\*A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of mandarins corresponding with the size specification in the next lower grade.

†In respect of items referred to in column 3, a tolerance of 5 per cent shall be allowed in any one package to cover accidental error in grading except the defects referred to in item (4), for which no tolerance shall be allowed.

# SCHEDULE III-C

Grade designations and definition of quality of Mandarins (Sangtras or Santras) produced in India

COORG (LOOSE JACKET) VARIETY

(See Rules 2 and 3)

0 - 1- 1			Definition of quality			
Grade designation				Minim diame		State or condition†
	1			2		.3
				Inches		
Extra S <sub>l</sub>	pecial			$3\frac{1}{4}$		(1) The oranges shall have reached a stage of maturity which will
Special	•	•		3		permit the subsequent comple- tion of ripening in the ordinary
Good	•	•	•	23		course of transport and market- ing.
A	•	•	•	$2\frac{1}{2}$	_	(2) The oranges shall be of reasonably uniform colour. No orange
В	•	•	•	21	- Tak	shall be entirely green.  (3) Each orange shall have the shape normal to the variety and have from mal formations.

\*A tolerance of 10 percent shall be allowed for accidental errors in grading in respect of mandarins corresponding with the rive specification in the next lower grade.

ternally.

be free from mal-formations.
(4) The oranges shall be free from defects due to diseases or insects or mechanical injury or sunburn affecting the fruit in-

†In respect of items referred to in column 3, a tolerance of 5 percent shall be allowed in any one package to cover accidental error in grading except the defects referred to in item (4), for which no tolerance shall be allowed.

# SCHEDULE IV

Grade designations and definition of quality of Grape fruit produced in India

MARSH SEEDLESS VARIETY

(See Rules 2 and 3)

Grade design ation		Definition of quality				
	design 	. 11011	Minimur diameter			
	1		2	3		
<u>-</u>			Inches			
ExtraS	pecial	•	$4\frac{1}{2}$	(1) The grape fruits shall be of		
Special	pecial		. 41	reasonably uniform colour and shall have reached a stage of		
$\operatorname{Good}$			. 4-	miturity which will permit the subsequent completion of ripen-		
A	•		$3\frac{3}{4}$	ing in the ordinary course of transport and marketing. (2) No grape-fruit will be entirely		
В		•	. 3½	green. (3) Each grape-fruit shall have the shape normal to the variety and be free from mal-formations. (4) The grape-fruits shall be free from defects due to diseases or insects or mechanical injury or sun-burn affecting the fruit internally. (5) Each fruit shall have its stalk cut close to the "button" which should be intact.		

<sup>\*</sup>A tolerance of 10 percent shall be allowed for accidental errors in grading in respect of grapo-fruits corresponding with the size specifications in the next lower grade.

# SCHEDULE V

Grade designations and definition of quality of Sweet Lime
(Mitha) produced in India

(See Rules 2 and 3)

Grade designation			Definition of quality				
		a01011	Minim diame				
	1			3 /13 - 15 - 18			
			Inches				
Extra S	Extra Special .			(1) The sweet limes shall hav reached a stage of maturit			
Special	•	•	. 3	which will permit the subsequent completion of ripening in the			
Good	•	•	$2\frac{3}{4}$	ordinary course of transport and marketing.			
A	٠	•	. 21/2	<ul> <li>(2) The colour of the fruit at the time of packing may range from green to light yellow.</li> <li>(3) Each fruit shall have the shape normal to the variety and be free from mal-formations.</li> <li>(4) The sweet-limes shall be free from defects due to disease, insects or mechanical injury or, sun-burn affecting the fruit internally.</li> </ul>			

\*Sweet limes over 3½" diameter shall be excluded. A tolerance of 10 per cent shall be allowed for accidental errors in grading in respect of sweet limes corresponding with the size specifications in the next lower grade.

†In respect of items referred to in column 3, a tolerance of 5 percent shall be allowed in any one package to cover accidental error in grading except the defects referred to in item (4), for which no tolerance shall be allowed.

# SCHEDULE VI

Grade designations and definition of quality of Lemons produced in India

EUREKA AND LISBON VARIETIES

(See Rules 2 and 3)

One de decimantian	Definition of quality				
Grade designation	Minimum diameter*	State or condition†			
1	2	3			
	Inches				
Extra Special .	. 3	(1) The fruit shall have reached a stage of maturity which will			
Special	$2\frac{3}{4}$	permit the subsequent comple- tion of ripening in the ordinary			
Good	$2\frac{1}{2}$	course of transport and marketing.			
		(2) The colour of fruit at the time of packing may range from pale green to light yellow.			
		(3) The fruit shall have the shape normal to the variety and be free from mal-formations.			
		(4) The fruit shall be free from defects due to disease, insects or mechanical injury or sunburn affecting the fruit both internally and externally.			

<sup>\*</sup>Lemons over  $3\frac{1}{4}$ " in diameter shall not be packed. A tolerance of 10 percent shall be allowed for accidental errors in grading in respect of Lemons corresponding with the size specific; tion in the next lower grade.

<sup>†</sup>In respect of items referred to in column 3, a tolerance of 5 percent shall be allowed in any one package to cover accidental error in grading except the defects referred to in items (4) and (5), for which no tolerance shall be allowed.

<sup>†</sup>In respect of items referred to in column 3, a tolerance of 5 percent shall be allowed in any one package to cover accidental error in grading except the defects referred to in item (4), for which no tolerance shall be allowed.

#### SCHEDULE VII

Grade designations and definition of quality of Sour Limes (Kagzi-Nimboo) produced in India

(See Rules 2 and 3)

Charle demonstration		Definition of quality				
Grade designation	Minimum di "motei*	State or condition†				
1	2					
	Inches					
Extra Special .	. 13	a stage of maturity which will permit the subsequent completion of ripening in the ordinary course of transport and marketing.				
Special	. 1-5/8	(2) The limes shall be of reason bly uniform colour. No lim shill be entirely green.				
Good	. 1½	(3) Each lime shall have the shope normal to the variety and shall be free from malform tions.*				
4	. 1-3/8	(4) The limes shall be free from defects due to disease or insects or mechanical injury or sun-burn affecting the fruit.				

\*A tolerance of 10 per cent shall be allowed for accident decreasing grading in respect of line corresponding with the size specification in the next lower grade.

†In respect of items referred to in column 3, a tolerance 5 per

†In respect of items referred to in column 3, a tolerance 5 per cent shall be allowed in any one package to cover accidental error in grading except the defects referred to in item(4), for which no tolerance shall be allowed.

S R. MAINI, Dy. Secy.

# MINISTRY OF COMMUNICATIONS

Posts and Telegraphs

New Delhi, the 26th January 1949

- No. T-69/46.—In exercise of the lowers conferred by section 7 or the Indian Felegraph Act, 1885 (XIII of 1885), the Central Government is pleased to direct that the tollowing further amendment shall be made in the Indian Telegraph Rules, 1932, namely
  - 'In the said rules, in rule Lot after the words "cheapest route", the following shall be inscited, namely:—
    - "The route indication shall be in the writing of, or typed by or on behalf of, the sender or his authorised representative who signs the telegram."

New Delhi, the 28th January 1949

No. Teleconf. 10/48.—In exercise of the powers conferred by section 7 of the Indian Lelegraph Act, 1885 (XIII of 1885), the Central Government is pleased to direct that the following further amendment shall be made in the Indian Telegraph Rules, 1932, namely.—

For rule 448 of the said Rules, the following shall be substituted, namely:—

- "448. COMMUNICATIONS FORBIDDEN.—No tele phone shall be used for making or transmitting any message or communication which is—
  - (i) of an indecent or obscene nature; or
  - (ii) calculated to annoy any subscribe, or
  - (i i) prejudicial to the public safety or the maintenance of public order, or
  - (1v) contrary to any provision of law."

New Delhi, the 1st February 1949

No. R.1-2/49.—In exercise of the lowers conferred by section 7 of the Indian Post Office Act, 1898 (VI of 1898), the Central Government is ple sed to direct that the following further amendments shall be made in the Indian Post Office Rules, 1983, namely—

In the said Rules-

- I. After rule 2, the following rule shall be inserted, namely:—
  - "2-A. The following inclusive rate of postage and air mail fee shall be chargeable on parcels posted for

transmission by air between any two places within India which may from time to time be notified by the Director-General.—

For a weight not exceeding one pound .. Two rupees.

For every pound or fraction thereof exceeding one pound ... One rupee.

Noie.—Registration fee at the normal rate Prevalent will be charged in addition, in the case of registered parcels."

- 2. To rule 33 the following proviso shall be added, namely:—
  - "Provided that in the case of parcels carried by air mail the following maximum limits as regards weight and size shall apply:—
    - (a) The weight of a parcel shall not exceed 20 pounds.
    - (b) The length of a parcel shall not exceed 2 feet and the length and girth combined shall not exceed 4 feet."

V. K. R. MENON, Secv.

#### MINISTRY OF LABOUR

New Delhi, the 31st January 1949

No. LW.51(8)48.—In exercise of the powers conferred by clause (bbb) of section 30 of the Indian Mines Act, 1923 (IV of 1923), the Central Government is pleased to direct that the following further amendment shall be made in the Coal Mines Pithead Bath Rules, 1946, the same having been previously published as required by subsection (1) of section 31 of the said Act, namely:—

In sub-rule (2) of rule 3 of the said Rules for the word "twelve" the word "eighteen" shall be substituted.

New Delhi, the 1st February 1949

No. L.P.159(5).—The following draft of a further amendment to the Coal Mines Rescue Rules, 1939, which it is proposed to make in exercise of the powers conferred by sect on 30A of the Indian Mines Act, 1923 (IV of 1923), is published, as required by sub-section (1) of section 31 of the said Act, for the information of all persons likely to be affected thereby and notice is hereby given that the draft will be taken into consideration on 8th May 1949.

Any objection or suggestion which may be received from any person in respect of the said draft before the date specified will be considered by the Central Government

#### Draft Amendment

For rule 20 of the said Rules, the following rule shall be substituted, namely:—

- "20. Recovery of Excise Duty.—(1) The excise duty imposed under Rule 19 shall, when the coal or coke is despatched by rail from collieries to any station in the Indian Dominion, be collected by the Railway Administration concerned by means of a surcharge on freight and such duty of excise shall be recovered—
  - (a) from the consignor, if the freight charges are being prepaid at the forwarding station;
  - (b) from the consignee, if the freight charges are collected at the destination of the consignment; or
  - (c) from the party paying the freight if the corresignment is booked on the "weight only" system.
- (2) Where the coal or coke is despatched by rail from collieries to stations outside the Indian Dominion, the duty of excise shall be recovered from the consignor at the forwarding station, in al cases.
- (3) In collecting the amount of excise duty payable on any one consignment, a fraction of an anna shall be rounded off to the nearest anna "

S. C. AGGARWAL, Dy. S.